

COVID-19 INFORMATION

COVID-19 ALBERTA HEALTH DAILY CHECKLIST (FOR CHILDREN UNDER 18)

Overview

This checklist applies for all children, as well as all students who attend kindergarten through Grade 12, including high school students over 18. Children should be screened every day by completing this checklist before going to school, childcare or other activities. Children may need a parent or guardian to assist them to complete this screening tool.

If your child has traveled outside Canada in the last 14 days, follow the [Government of Canada Travel, Testing, Quarantine and Borders](#) instructions, including any requirements for exempt travelers related to attending high-risk environments. International travellers who become a case of COVID-19 after arrival in Alberta should follow isolation requirements outlined by the Government of Canada

If your child has tested positive on a [rapid antigen test](#) or received a message from Public Health indicating that they are a case⁴ of COVID-19, they are required to isolate as per [Public Health instructions](#). For more information on isolation requirements after a positive rapid antigen test, refer to the [Rapid testing at home website](#).

Screening Questions for Children under 18:

1.	Has your child been a household contact of a case⁴ of COVID-19 in the last 10 days? <i>A household contact: a person who lives in the same residence as the case OR who has been in frequent, long-duration, close-range interaction with a case of COVID-19. For example, someone who slept over, attended a birthday party or someone who was a play date with a case.</i>	YES	NO
If child answered "YES" AND they are NOT fully immunized⁵: <ul style="list-style-type: none">Child should stay home and NOT attend school, childcare and/or other activities for 10 days from the last day of exposure and monitor for symptoms. If child answered "YES" and they are fully immunized⁵ proceed to question 2: If child answered "NO" to question 1, proceed to question 2:			
2.	Does the child have any new onset (or worsening) of the following core symptoms:		
	Fever Temperature of 38 degrees Celsius or higher	YES	NO
	Cough Continuous, more than usual, not related to other known causes or conditions such as asthma	YES	NO
	Shortness of breath Continuous, unable to breathe deeply, not related to other known causes or conditions such as asthma	YES	NO
	Loss of sense of smell or taste Not related to other known causes or conditions like allergies or neurological disorders	YES	NO
If the child answered "YES" to any symptom in question 2: <ul style="list-style-type: none">If the child is fully immunized⁵<ul style="list-style-type: none">Isolate for 5 days from the day of onset of symptoms or until symptoms resolve³ whichever is longer.After this isolation period, up to a total of 10 days past symptom onset, they are required to wear a mask when they are outside of the home, in a public place or otherwise in the company of other persons out of the household, with no exceptions.If the child is NOT fully immunized⁵,<ul style="list-style-type: none">they must isolate for 10 days from the day of onset of symptoms or until symptoms resolve³ whichever is longerWhether they are fully immunized or not, even if they have a negative molecular (e.g. PCR) COVID-19 test or two negative rapid antigen tests, taken not less than 24 hours of each other, they still must isolate until symptoms resolve³.If they are within three weeks of the initial positive test of a previous infection they do not need to test again, and they can leave isolation when symptoms resolve³.			

³Symptoms resolved means symptoms have improved and with no fever for 24 hours without the use of fever reducing medication

⁴ A lab-confirmed case OR a probable case as defined in the [Alberta COVID-19 Notifiable Disease Guideline](#)

⁵ A child who has received the complete vaccine series for COVID-19 and it has been 14 days after the second dose in a two dose series

They can use an [at-home rapid antigen test](#) if available or access the [AHS Online Assessment Tool](#) for advice on managing mild symptoms, and whether you need to be tested for COVID-19. **NOTE:** Children 2 years of age and younger who are not eligible for rapid testing should complete the [AHS Online Self-Assessment tool](#) to access molecular (e.g., PCR) testing

If the child answered “NO” to all of the symptoms in question 2, proceed to question 3.

3. Does the child have any new onset (or worsening) of the following other symptoms:		
Chills Without fever, not related to being outside in cold weather	YES	NO
Sore throat/painful swallowing Not related to other known causes/conditions, such as seasonal allergies or reflux	YES	NO
Runny nose/congestion Not related to other known causes/conditions, such as seasonal allergies or being outside in cold weather	YES	NO
Feeling unwell/fatigued Lack of energy, poor feeding in infants, not related to other known causes or conditions, such as depression, insomnia, thyroid dysfunction or sudden injury	YES	NO
Nausea, vomiting and/or diarrhea Not related to other known causes/conditions, such as anxiety, medication or irritable bowel syndrome	YES	NO
Unexplained loss of appetite Not related to other known causes/conditions, such as anxiety or medication	YES	NO
Muscle/joint aches Not related to other known causes/conditions, such as arthritis or injury	YES	NO
Headache Not related to other known causes/conditions, such as tension-type headaches or chronic migraines	YES	NO
Conjunctivitis (commonly known as pink eye)	YES	NO

If the child answered “YES” to ONE symptom in question 3:

- Keep your child home and monitor for 24 hours and consider giving child an [at-home rapid antigen test](#). If the test is positive or negative see below for further instructions. **NOTE:** Children 2 years of age and younger who are not eligible for rapid testing should complete the [AHS Online Self-Assessment tool](#) to access molecular (e.g., PCR) testing
- If [at-home rapid antigen testing](#) is not done and the symptom is improving after 24 hours, your child can return to school and activities when they feel well enough to go.
- If the symptom **does not improve or worsens** after 24 hours (or if additional symptoms emerge), use an [at-home rapid antigen test](#) if available or follow the [AHS Online Assessment Tool](#) for advice on managing mild symptoms, and whether you need to be tested for COVID-19.

If the child answered “YES” to TWO OR MORE symptoms in question 3:

- Keep your child home
- Use an [at-home rapid antigen test](#) if available or follow the [AHS Online Assessment Tool](#) for advice on managing mild symptoms, and whether you need to be tested for COVID-19.

For at-home rapid antigen testing result instructions:

- If [at-home rapid antigen test](#) is done and is negative they can return to school and activities when they feel well enough to go.
- If [at-home rapid antigen test](#) is positive, the child is required to isolate as outlined above for **question 2**.

If the child answered “NO” to all questions:

- Your child may attend school, childcare and/or other activities

Please note: If your child is experiencing any symptoms from the lists above, do not bring them to visit a continuing care or acute care facility for 10 days from when symptoms started or until symptoms resolve (whichever is longer), unless they receive a negative COVID-19 test result and feel better.